



SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 1 of Total 7

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION



Trade Name:	AIR MIST TROPICAL GARDEN		
SUPPLIER:	Custom Chemicals International Pty Ltd		
ADDRESS:	103-107 Potassium Street, Narangba 4504 Queensland Australia		
TELEPHONE:	+617 3204 8300	Website:	www.customchem.com.au
EMERGENCY PHONE:	13 11 26 in Australia	Product code:	0010067
Substance:	Liquid	Product Use:	Water based deodorant
Creation Date:	October 2024	Revision Date:	October 2029

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	Not scheduled
Dangerous Goods	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. <ul style="list-style-type: none">• Eye Irritation Category 2A• Flammable Liquids Category 3• Acute Aquatic Toxicity - 3 /Chronic Aquatic Toxicity - 3

Label elements

GHS label pictograms	  GHS02 GHS07
----------------------	---

Signal word **WARNING**

Hazard statement(s)

H319	Causes serious eye irritation.
H226	Flammable liquid and vapour.
H402 / H412	Harmful to aquatic life with long-lasting effects.

Precautionary statement(s): General

P102	Keep out of reach of children.
P103	Read label before use.

Precautionary statement(s): Prevention

P264	Wash hands and skin thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources — No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.

Precautionary statement(s): Response



SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 2 of Total 7

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P370 + P378	In case of fire: Use water spray, alcohol resistant foam, dry chemicals or carbon dioxide to extinguish.
Precautionary statement(s): Storage	
P403 + P235	Store in a well-ventilated place. Keep cool.
Precautionary statement(s): Disposal	
P501	Dispose of contents/ container in accordance with local regulations.
Note	
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. Good hygiene and housekeeping practices should be adhered to.

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Ethanol	64-17-5	10 - 30 % w/w
Fragrance	various	1 – 10 % w/w
Nonyl phenol ethoxylate	9016-45-9	1 – 10 % w/w
Water and ingredients determined to be non-hazardous	various	To 100 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from Safe Work Australia: Hazardous Chemical Information System (HCIS), European Chemicals Agency (ECHA), or have been found NOT to meet the criteria of a hazardous substance as defined in the Safe Work Australia publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS7). Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID MEASURES

Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES

Fire and Explosion Hazards	Flammable alcohol/water mixture – does not support combustion.
Extinguishing Media	Use carbon dioxide (CO ₂) fire extinguisher, water fog or alcohol resistant foam or fine water spray.



SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 3 of Total 7

Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	~ 38 °C – ethanol/water mixture – does not support combustion.



SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water-courses. For large spills, or tank rupture, consider initial evacuation distance of 200 metres in all directions. Stop leak if safe to do so. Remove all ignition sources. If available, use water spray to disperse vapour. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.
-----------------------------	---

SECTION 7 – HANDLING AND STORAGE

Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Wash hands with water after handling.
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	National Occupational Exposure Limits, as published by SAFework AUSTRALIA: Time-weighted Average (TWA): None established for product. <ul style="list-style-type: none">Ethanol: 1000ppm 1880mg/m³ Short Term Exposure Limit (STEL): None established for product.
Ventilation	Use only in a well-ventilated area. Ensure ventilation is adequate to maintain air concentrations below exposure standards.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection 	Generally not required to handle product as per label directions – air freshener spray. Safety glasses should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection 	Generally not required to handle product as per label directions – air freshener spray. Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.





SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 4 of Total 7

Body Protection  	Generally not required for typical applications with diluted solutions as per label directions. Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
Respirator	Generally not required to handle product as per label directions – air freshener spray. No respirator should be required under normal conditions of use in well-ventilated areas provided air concentrations are below exposure standards. If the exposure limit is exceeded briefly, a full facepiece respirator with an organic vapour cartridge may be worn. For short elevated exposures, eg, spillages:- Appropriate organic vapour cartridge respirator as per the requirements of AS/NZS 1715 and AS/NZS 1716 (Respiratory protective devices). For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure, air-supplied respirator.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	liquid	Colour	Green
Odour	Fragrant	Specific Gravity	0.93 – 0.97 @ 25 °C
Boiling Point	~100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	~ 38 °C – does not support combustion	Flammable Limits	3.5% – 24.5% (Ethanol)
Water Solubility	Miscible in all proportions	pH	6.5 – 7.5 neat
Volatile Organic Compounds (VOC)	~ 24% v/v	Per Cent Volatile	~ 90 % v/v
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY

Reactivity	Stable at normal temperatures and pressure.
Conditions to Avoid	Extremes of temperature and direct sunlight. Ignition sources.
Incompatibilities	Reducing agents, oxidizing agents.
Hazardous Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS	
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:	
Inhalation	Inhalation of generated mists may cause irritation to the respiratory system. Inhalation of the vapour may result in drunkenness (as per effects of swallowing). Early symptoms may occur at airborne levels of 1000 to 5000 ppm.
Skin contact	Not expected to be irritating to skin. May cause an allergic skin reaction.
Eye contact	May cause irritation in contact with the eyes, which can result in redness, stinging and tearing.
Ingestion	Can cause drunkenness or harmful central nervous system effects. The deliberate ingestion of ethanol (50-100ml) may cause inebriation such that safety is impaired. Effects of a small intake may include excitation, euphoria, headache, dizziness, drowsiness, blurred vision, and fatigue. Ingestion of a large amount may lead to severe acute intoxication, tremors, convulsion, loss of consciousness, coma, respiratory arrest and death.
Chronic exposure	Ethanol - Long term exposure by swallowing or repeated inhalation, may cause degenerative changes in the liver, kidneys, gastrointestinal tract and heart muscle.



SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 5 of Total 7

Toxicology Information	Not toxic, based on ingredients. Oral LD50 (ATE calculated): >10,000 mg/kg ETHANOL: LD50 Oral (rat) : 7060mg/kg Oral, mouse: LD50 = 3450 mg/kg; Oral, rabbit: LD50 = 6300 mg/kg
Carcinogen Status	
SAFEWORK AUSTRALIA	No significant ingredient is classified as carcinogenic by SAFEWORK AUSTRALIA.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC. ETHANOL: Alcoholic beverages are classified by the International Agency for Research on Cancer (IARC) as a Group 1 carcinogen (carcinogenic to humans). IARC classifies alcoholic beverage consumption as a cause of female breast, colorectal, larynx, liver, esophagus, oral cavity, and pharynx cancers; and as a probable cause of pancreatic cancer.
Respiratory sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL INFORMATION

Acute Aquatic Toxicity Product (as sold)	Harmful to aquatic life (LC50 > 10mg/L, but < 100mg/L). Acute Aquatic Toxicity (ATE Calculated) LC50: 33.1 – 55.7 mg/L. Acute Aquatic Toxicity Category 3.
Acute Aquatic Toxicity Product (at use dilution 1:100 rinse)	Not harmful to aquatic life. (LC50 > 100 mg/L). Acute Aquatic Toxicity (ATE Calculated) LC50: 3,310 – 5,570 mg/L. Acute Aquatic Toxicity NOT HAZARDOUS.
Persistence and degradability	Chronic Aquatic Toxicity – Category 3. H402 / H412 - Harmful to aquatic life with long-lasting effects. Nonyl phenol ethoxylates are classified as 'not readily biodegradable'. Most of the other organic components of this product are readily biodegradable.
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--	---

SECTION 14 – TRANSPORT INFORMATION

Labels Required	
ADG	Not classified as Dangerous Goods.
IMDG Marine Pollutant	No
HAZCHEM	None allocated.



SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 6 of Total 7

Land Transport (ADG)	
UN Number	None allocated.
ADG Code	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
Segregation	None allocated.

SECTION 15 – REGULATORY INFORMATION	
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not scheduled
ADG Code	Not DG
AICIS	All ingredients present on Australian Inventory of Industrial Chemicals.

SECTION 16 – OTHER INFORMATION	
Issue Date	21 st October 2024
Version Number	V # 2.0 GHS7 classification.
Abbreviations and acronyms	<p>ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p>AICIS: Australian Industrial Chemicals Introduction Scheme.</p> <p>CAS Number: Chemical Abstracts Service Registry Number.</p> <p>GHS: Globally Harmonized System of Classification and Labelling of Chemicals.</p> <p>HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.</p> <p>HSIS: Hazardous Substances Information System.</p> <p>IARC: International Agency for Research on Cancer.</p> <p>NTP: National Toxicology Program (USA).</p> <p>SDS: Safety Data Sheet.</p> <p>STEL: Short Term Exposure Limit.</p> <p>SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p>TWA: Time Weighted Average.</p> <p>UN Number: United Nations Number.</p>
Literature references	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia).</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia).</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p> <p>Global Harmonized System of Classification and Labelling of Chemicals (GHS).</p> <p>“Australian Exposure Standards”. Safework Australia.</p> <p>Australian Code For The Transport Of Dangerous Goods By Road And Rail.</p> <p>Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p>Safety Data Sheets – individual raw materials – Suppliers.</p> <p>HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.</p> <p>HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.</p>
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product,



SAFETY DATA SHEET

AIR MIST TROPICAL GARDEN

Date of Issue: October 2024

Version # 2.0

Page 7 of Total 7

and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

End of SDS